

A horizontal rainbow light effect is visible at the top of the page, transitioning from blue on the left to red on the right.

GIRA

Smart Home.
Smart Building.
Smart Life.


Manufacturers, products, systems
There's a Gira switch
for almost everything
in a Smart Home.

Gira / Smart Home operating devices

The solution you want – controlled by Gira.

We provide sophisticated, beautifully designed Smart Home solutions. Yet even if you decide to install building technology from other brands, you can still enjoy the high-quality design and functionality of our operating devices.

Many of our products work with systems and individual solutions from other manufacturers, which can then be controlled using our switches and other operating elements.



The KNX Smart Home: where other brands can also feel at home.


We offer comprehensive Smart Home solutions and systems based on KNX. What's more, Gira operating elements are compatible with solutions from a wide range of other providers via the KNX standard:



...and many more.



Operating devices




Buttons and pushbutton sensors (wired)


Button with rocker, 2-gang
for Gira One and KNX



Pushbutton sensor 4.55,
3-gang for Gira One and KNX




Pushbutton sensor 4.95,
4-gang for Gira One and KNX




**KNX RF operating devices
(wireless)**


RF operating top unit, 2-gang
Arrow symbols for KNX



RF wall transmitter, 2-gang
for KNX




RF pushbutton sensor, 1-gang
for KNX




Gira G1
via network or WLAN

Other Gira products



Server
Gira HomeServer
Item no. 0529 00



Gira FacilityServer
Item no. 2075 00



Gira X1 server
Item no. 2096 00



Gira One server
Item no. 2039 00



Actuators
Switching actuator, 1-gang
16 A with 3-gang binary
input for Gira One and KNX
Item no. 5061 00



Dimming actuator, 1-gang
200 W with 3-gang binary
input for Gira One and KNX
Item no. 5065 00



Switching actuator,
4-gang 16 A with manual
actuation for KNX
Item no. 1004 00



Switching actuator,
4-gang 16 A with manual
actuation and current measurement
for C-load, for KNX
Item no. 1045 00

More information
is available at
partner.gira.com




Operating devices

The eNet Smart Home offers brand diversity – with Gira at its core.


We have a whole range of operating elements, servers and actuators for the globally accepted eNet Smart Home standard. Thanks to the wireless protocol, you can easily integrate other products from manufacturers that are part of the eNet alliance. For example, smart radiator thermostats from tado or door communication from Siedle.

BRUMBERG HÄFELE JUNG
SSS SIEDLE tado°




Buttons in the Gira System 3000

eNet wireless operating
top unit



eNet wireless operating
top unit Memory



eNet wireless wall
transmitter, 1-gang




eNet wireless hand-held
transmitter, 2-gang
Item no. 535210



eNet wireless hand-held
transmitter, 4-gang
Item no. 535410

Other Gira products



Server

eNet server
Item no. 530100



Actuators

eNet wireless switching/
momentary-contact actuator,
1-gang Mini
Item no. 5423 00




eNet wireless switching/
momentary-contact actuator,
1-gang Mini
Item no. 5420 50



eNet wireless
dimming actuator 1-gang,
Mini
Item no. 5420 00



eNet wireless dimming
actuator 1-gang DRA
Item no. 5423 00



eNet wireless dimming
actuator 4-gang DRA
Item no. 5431 00



eNet wireless
blind actuator, 1-gang
Item no. 5370 00

More information
is available at
partner.gira.com




As simple as WiFi: Gira transmits via the EnOcean system.

Loxone, Eltako, Viessmann, WAGO and others use the EnOcean wireless standard for their smart solutions. The standard is internationally recognised and can be used anywhere, similarly to WiFi or Bluetooth.

An EnOcean system can be operated seamlessly via Gira wireless wall transmitters.



Operating devices






Green light for Bluetooth® applications.

Many brands and manufacturers, including Casambi, IKEA, Nanoleaf and Dyson, use the Bluetooth standard for lights and smart electrical devices. We also use a Bluetooth interface, for example in the BT wall transmitter or System 3000 top unit. This ensures that nothing hinders operation in the Gira design.

Operating devices



Bluetooth® wall transmitter,
2-gang




Gira System 3000
BT operating top unit

We even work with 24 volts, in stage equipment for example.


Some Smart Home systems are based on 24-volt components, such as Loxone or DMX solutions (Digital Multiplex) in architecture and stage equipment. Gira operating devices can also be used for this purpose, as our pushbutton sensors and other wall buttons also work with 24 volts.



Operating devices




Pushbutton sensor 4.95,
24 V 2-gang



Pushbutton sensor 4.95,
24 V 4-gang

Operating devices


No matter which Smart Home system is to be installed, if it is based on 24 V connections, many of our operating devices can be integrated into the systems. For example, the Gira pushbutton sensors 2 and 4 are equipped with zero-voltage contacts for maximum compatibility with solutions that use different operating voltages. These relays and actuators can usually be switched with Gira.




Rocker button, 4-gang




Pushbutton sensor 2
1-gang 24 V zero-voltage




Pushbutton sensor 2, 3-gang
24 V zero-voltage



Pushbutton sensor 4.95,
24 V 1-gang



Pushbutton sensor 4.95,
24 V 2-gang




Pushbutton sensor 4.95,
24 V 4-gang

Flush-mounted inserts and relays of all kinds speak “Gira”.


Casambi, Nexentro, Frogblue, Shelly, Eltako and many more: some of our operating devices can be easily integrated into the respective wireless systems. This simply requires the appropriate transponder to be mounted on the flush-mounted insert and tucked away in the flush-mounted box.




Operating devices




Rocker button
(with claws)
Item no. 3151 00




Rocker button, 2-gang
(with claws)
Item no. 3155 00




Rocker button, 4-gang
(with claws)
Item no. 3147 00




Blind rocker button
(with claws)
Item no. 3158 00




Rocker button,
3-gang 10 A 250 V~




Rocker button
(without claws)
Item no. 3871 00



Rocker button, 2-gang
(without claws)
Item no. 3875 00




Rocker button, 4-gang
(without claws)
Item no. 3867 00



Blind rocker button
(without claws)
Item no. 3878 00

Note:

We recommend the variant without claws, due to the reduced installation depth and the limited space in the flush-mounted box.



So, now you know a bit more – but do you still have questions?

We do not only communicate with KNX, Bluetooth, eNet, EnOcean and with many Smart Home brands:

we would also be happy to talk to you to discuss how you can connect Gira operating elements and other components to your Smart Home solution.

Feel free to contact us by sending your questions to info@gira.com



Gira
Giersiepen GmbH & Co. KG

Dahlienstrasse
42477 Radevormwald

Postfach 12 20
42461 Radevormwald
Germany

Tel. +49 2195 602-0

www.gira.com
info@gira.com
